




PHOENIX BBQ MODULE GALAXY GEN2




Model No. BQ3058GX

IMPORTANT: RETAIN THESE INSTRUCTIONS FOR FUTURE USE.

For the most up-to-date version of this manual, please visit the product page at gasmate.com.au, as updates and improvements may be made periodically.


Gasmate® is a registered trademark of Sitro Group Australia Pty Ltd www.gasmate.com.au
Aber Living, N.Z. www.gasmate.co.nz

SCREW PACK LIST


Screw Packs	Description		Quantity
B1		M8 x 15 Bolt	16
		Ø8 Spring Washers	16
		Ø8 Flat Washers	16
B2		M5 x 10 Bolt	70
B3		M5 x 30 Bolt	5

Parts No.	Description	Quantity
1	Bottom panel	16
2	Casters without brake	2
3	Casters with brake	2
4	Left panel	1
5	Back panel	1
6	Right panel	1
7	Cylinder holder assembly	1
8	Middle panel	1
9	Top panel	1
10	Shelf	1
11	Rear top bar	1
12	Outer heat shield panel	1
13	Left heat shield panel	1
14	Right heat shield panel	1
15	Front heat shield panel	1
16	Back heat shield panel	1
17	Top left panel	1
18	Top right panel	1
19	Front bar	1
20	Front beam	1
21	Left door	1
22	Right door	1


CASTERS ASSEMBLY




LEFT, RIGHT AND BACK PANEL ASSEMBLY




CYLINDER HOLDER ASSEMBLY




MIDDLE PANEL ASSEMBLY




TOP PANEL ASSEMBLY



TOP REAR BAR AND SHELF ASSEMBLY




BBQ HEAT SHIELD ASSEMBLY




Insert the Outer heat shield panel to the left side cavity of the BBQ.

Position the front, left, right and back heat shield panels into the firebox as shown. Then tighten the panels using the bolts provided from Screw Pack B2.






FRONT AND SIDE PANELS ASSEMBLY




Keep these bottom screws half loosen and leave about 5mm gap.

Position the BBQ in place and adjust the feet height, so that it sits flush with the top of the rear top panel.






DOORS ASSEMBLY



Insert the pin on the bottom of the door into the hole on the bottom panel. Press then release the spring loaded pin to let it pop into the upper hole of the door. Repeat the process for the other door.

CONNECTING MODULES



[illegible]

NOTES

[illegible]

WARNING

**ACCESSIBLE PARTS OF THE TROLLEY COULD BE HOT DURING USE.
KEEP CHILDREN AND OTHERS WHO NEEDS SUPERVISION AT A SAFE DISTANCE.
DO NOT MOVE THE TROLLEY WHILE IN USE.**

Before any work/modification is done on/to this product please refer to the link to the SDS for your personal protection requirements.
<https://sitro.com.au/support/sds/>

FOR ANY QUERIES OR ASSISTANCE CONTACT:

AUSTRALIA

CUSTOMER SERVICE DEPARTMENT

Email: **sales@sitro.com.au**

Scan QR code for warranty and support details,
or visit **gasmate.com.au/support**



NEW ZEALAND

CUSTOMER SERVICE DEPARTMENT

Email: **sales@aber.co.nz**

Scan QR code for warranty and support details,
or visit **gasmate.co.nz/warranty**



Gasmate®